


Report on the main results of the surveillance under article 11 for annex I habitat types (Annex D)

1170 Reefs

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MATL**



map-distribution

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC OCEAN**

2.2 Published sources and/or websites:

CMADS. (2007). Plan director de conservación da Rede Natura 2000 de Galicia. Vol: I-II-III-IV. Lugo.

Izco, J. (2001). La flora y la vegetación. En: A. Precado Ledo & J. Sancho Comíns (Dir.): Atlas de Galicia. Tomo I: Medio Natural: 219-257.

SITGA-Secretaría Xeral de Planificación e Desenvolvemento Comarcal. Consellería da Presidencia. Xunta de Galicia. Santiago de Compostela.

Míguez-Rodríguez, L., González, C. & García-Álvarez, O. (1996). Guía Ecolóxica do Litoral Galego. 390 pp. Edicións Xerais de Galicia. Vigo.

Ramil et al. 2005. La expresión territorial de la diversidad. Paisajes y hábitats. Recursos Rurais (2005). Serie cursos 2:109-128.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km2:	6600
2.3.2 Date of range determination:	2007
2.3.3 Quality of data concerning range:	Good e.g based on extensive surveys
2.3.4 Range trend:	Stable (=)
2.3.5 Range trend magnitude in km2 (optional):	
2.3.6 Range trend period:	1995-2007
2.3.7 Reasons for reported trend:	Direct human influence (restoration, deterioration, destruction) Indirect anthropo(zoo)genic influence

and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km2):

1170 Reefs

2.4.2 Date of area estimation:	2007
2.4.3 Method used for area estimation:	Ground based survey (based on field mapping, possibly using stratified random sa
2.4.4 Quality of data on area:	Good e.g based on extensive surveys
2.4.5 Area trend:	Stable (=)
2.4.6 Area trend magnitude (km2):	
2.4.7 Area trend period:	1995-2007
2.4.8 Reasons for reported trend:	Direct human influence (restoration, deterioration, destruction) Indirect anthropo(zoo)genic influence

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 210 - Professional fishing

220 - Leisure fishing

2.4.11 Threats 210 - Professional fishing

220 - Leisure fishing

2.5 Complementary information

2.5.1 Favourable reference range (km2):

2.5.2 Favourable reference area (km2):

2.5.3 Typical Species: *Laminaria spp.*, *Ascophyllum nodosum*, *Chondrus crispus*, *Enteromorpha spp.*, *Fucus serratus*, *Himanthalia elongata*, *Mastocarpus stellatus*, *Saccorhiza polyschides*, *Ulva lactuca*

2.5.4 Typical species assessment: Sin evaluar

2.5.5 Other relevant information (optional):

Conclusion

Biogeographical or marine level

Conclusions within Natura 2000 sites (optional)

Conclusions: (2.3) Range: Unknown (XX)

Conclusions: (2.4) Area: Unknown (XX)

Conclusions: (2.5) Structure and function, including typical species: Unknown (XX)

Conclusions: Future prospects: Unknown (XX)

Conclusions: Overall assessment: Unknown (XX)