


2240 Brachypodietalia dune grasslands with annuals

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MED**



map-distribution

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

Vigo, J.; Carreras, J. & Ferré, A. (eds.). Manual dels Hàbitats de Catalunya: catàleg dels hàbitats naturals reconeguts en el territori català d'acord amb els criteris establerts pel CORINE biotopes manual de la Unió Europea. Vols I a VII. Departament de Medi Ambient i Habitatge. Generalitat de Catalunya. 2005-2008.

Llorens, L. (2004) Cartografia 1:5000 dels hàbitats del Parc de s'Albufera (Mallorca)

Llorens, L., Gil, L. (2004) Cartografia 1:5000 dels hàbitats de s'Albufereta (Mallorca)

Llorens, L., Gil, L. & Cardona, C. (2004) Cartografia dels hàbitats del Parc de s'Albufera des Grau (Menorca)

Llorens, L. (2005) Cartografia dels Hàbitats del Parc de les salines d'Eivissa i Formentera

Llorens, L. (2005) Cartografia de les dunes de Sa Ràpita, Trenc i salobrar de Campos

Gil, L. & Llorens, L. (2004). Anàlisi biogeogràfic de la flora de Formentera (Islas Baleares, España). Lazaroa 25: 169-178.

Llorens, L., Gil, L. (2004) Atlas de los Hábitats Naturales y Seminaturales de España a Escala 1:50.000. (Baleares). TRAGSA

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 0

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend:

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Direct human influence (restoration, deterioration, destruction)
Natural processes

2240 Brachypodietalia dune grasslands with annuals

and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km2): 0

2.4.2 Date of area estimation:

2.4.3 Method used for area estimation:

2.4.4 Quality of data on area:

2.4.5 Area trend:

2.4.6 Area trend magnitude (km2): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend: Direct human influence (restoration, deterioration, destruction)
Natural processes

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

- 300 - Sand and gravel extraction
- 403 - dispersed habitation
- 423 - disposal of inert materials
- 490 - Other urbanisation, industrial and similar activities
- 501 - paths, tracks, cycling tracks
- 608 - camping and caravans
- 620 - Outdoor sports and leisure activities
- 622 - walking, horseriding and non-motorised vehicles
- 623 - motorised vehicles
- 720 - Trampling, overuse
- 860 - Dumping, depositing of dredged deposits
- 870 - Dykes, embankments, artificial beaches, general
- 954 - invasion by a species

2.4.11 Threats

- 300 - Sand and gravel extraction
- 403 - dispersed habitation
- 423 - disposal of inert materials
- 490 - Other urbanisation, industrial and similar activities
- 501 - paths, tracks, cycling tracks
- 608 - camping and caravans
- 620 - Outdoor sports and leisure activities
- 622 - walking, horseriding and non-motorised vehicles
- 623 - motorised vehicles
- 720 - Trampling, overuse
- 860 - Dumping, depositing of dredged deposits
- 870 - Dykes, embankments, artificial beaches, general
- 954 - invasion by a species

2.5 Complementary information

2.5.1 Favourable reference range (km2): 0

2.5.2 Favourable reference area (km2): 0

2.5.3 Typical Species: *Alphasida depressa*, *Bellardia trixago*, *Brachycerus* sp., *Brachypodium retusum*, *Bupleurum semicompositum*, *Chaenorhinum formenterae*, *Chaenorhinum rubrifolium*, *Cutandia maritima*, *Echium parviflorum*, *Filago mareotica*, *Isocerus balaericus*, *Lagurus ovatus*, *Leontodon taraxacoides* subsp. *Longirostris*, *Linaria pedunculata*, *Linum strictum*, *Loeflingia hispanica*, *Lotus edulis*, *Malcolmia ramosissima*, *Maresia nana*, *Medicago littoralis*, *Myrmeleon formicarius*, *Ononis*

2240 Brachypodietalia dune grasslands with annuals

reclinata, *P. polycarpoides* subsp. *Catalaunicum*, *Pimelia criba*, *Polycarpon alsinifolium*, *Pseudorlaya pumila*, *Rumex bucephalophorus*, *Scabiosa atropurpurea* var. *maritima*, *Scirpus holoschoenus* var. *Australis*, *Silene cambessedesii*, *Stenosis intricata*, *Stipa cerastioides*, *Stipa colorata*, *Stipa tenacissima*, *Tentyria schauimi*, *Triplachne nitens*, *Vulpia membranacea*, *Vulpiella tenuis*

2.5.4 Typical species assessment:

2.5.5 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	