


3220 Alpine rivers and the herbaceous vegetation along their banks

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ATL MED**



map-distribution

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC**

2.2 Published sources and/or websites:

Bartolomé, C., J. Álvarez, J. Vaquero, M. Costa, M.A. Casermeiro, J. Giraldo & J. Zamora (2005). Los tipos de hábitat de interés comunitario de España. Guía básica. Dirección General para la Biodiversidad, Ministerio de Medio Ambiente.

Ministerio de Medio Ambiente (2003). Atlas y manual de los hábitat de España. Dirección General de Conservación de la Naturaleza, Ministerio de Medio Ambiente.

Escudero, A., J.M. Olano, R. García, P. Bariego, I. Molina & J.A. Arranz (2007). Guía básica para la interpretación de los hábitats de interés comunitario en la Comunidad de Castilla y León. Junta de Castilla y León. Consejería de Medio Ambiente (en prensa).

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 84,6

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Unknown (X)

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Unknown

and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 33

2.4.2 Date of area estimation: 2003

2.4.3 Method used for area estimation: Ground based survey (based on field mapping, possibly using stratified random sa

2.4.4 Quality of data on area: Poor e.g. based on very incomplete data or on expert judgement

3220 Alpine rivers and the herbaceous vegetation along their banks

2.4.5 Area trend: Unknown (X)

2.4.6 Area trend magnitude (km2):

2.4.7 Area trend period:

2.4.8 Reasons for reported trend: Unknown

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 330 - Mines
830 - Canalisation
853 - management of water levels
890 - Other human induced changes in hydraulic conditions

2.4.11 Threats 330 - Mines
830 - Canalisation
853 - management of water levels
890 - Other human induced changes in hydraulic conditions

2.5 Complementary information

2.5.1 Favourable reference range (km2):

2.5.2 Favourable reference area (km2):

2.5.3 Typical Species: *Calamagrostis pseudophragmites*, *Erucastum nasturtiifolium*, *Rumex scutatus*, *S. Cantabrica*, *S. Purpurea*, *Salix ealeagnos*, *Scrophularia canina*, *Tussilago farfara*

2.5.4 Typical species assessment: Sin evaluar

2.5.5 Other relevant information (optional): Dentro de esta región biogeográfica y en Castilla y León el hábitat se encuentra p

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

Bartolomé, C., J. Álvarez, J. Vaquero, M. Costa, M.A. Casermeiro, J. Giraldo & J. Zamora (2005). Los tipos de hábitat de interés comunitario de España. Guía básica. Dirección General para la Biodiversidad, Ministerio de Medio Ambiente.

Ministerio de Medio Ambiente. (2003). Atlas y manual de los hábitat de España. Dirección General de Conservación de la Naturaleza, Ministerio de Medio Ambiente.

Inventario Nacional de Hábitat (1996). Dirección General para la Biodiversidad, Ministerio de Medio Ambiente

Escudero, A., J.M. Olano, R. García, P. Bariego, I. Molina & J.A. Arranz (2007). Guía básica para la interpretación de los hábitats de interés comunitario en la Comunidad de Castilla y León. Junta de Castilla y León. Consejería de Medio Ambiente (en prensa).

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km2: 2041,5

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

3220 Alpine rivers and the herbaceous vegetation along their banks

2.3.4 Range trend:

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Not applicable
and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 2

2.4.2 Date of area estimation: 1993-2006

2.4.3 Method used for area estimation:

2.4.4 Quality of data on area: Poor e.g. based on very incomplete data or on expert judgement

2.4.5 Area trend: Unknown (X)

2.4.6 Area trend magnitude (km²): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend:
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 330 - Mines
830 - Canalisation
853 - management of water levels
890 - Other human induced changes in hydraulic conditions

2.4.11 Threats 330 - Mines
830 - Canalisation
853 - management of water levels
890 - Other human induced changes in hydraulic conditions

2.5 Complementary information

2.5.1 Favourable reference range (km²): 0

2.5.2 Favourable reference area (km²): 0

2.5.3 Typical Species: *Calamagrostis pseudophragmites*, *Calamagrostis pseudophragmites*, *Epilobium obscurum*, *Erucastum nasturtiiifolium*, *Leontodon bourgeanus*, *Potentilla reptans*, *Rumex scutatus*, *Sagina procumbens*, *Salix cantabrica*, *Salix ealeagnos*, *Salix purpurea*, *Salix salvifolia*, *Scrophularia acuatica*, *Scrophularia canina*, *Tussilago farfara*

2.5.4 Typical species assessment: Según datos obtenidos del estudio: ARIZALETA, J.A. Descripción y caracterización

2.5.5 Other relevant information (optional): Dentro de esta región biogeográfica y en Castilla y León el hábitat se encuentra p

Conclusion

Biogeographical or marine level

Conclusions within Natura 2000 sites (optional)

Conclusions: (2.3) Range: Unknown (XX)

Conclusions: (2.4) Area: Unknown (XX)

Conclusions: (2.5) Structure and function, including typical species: Unknown (XX)

Conclusions: Future prospects: Unknown (XX)

Conclusions: Overall assessment: Unknown (XX)