

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Balaenoptera borealis

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MMAC MMED**

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN/ATLANTIC OCEAN**

2.2 Published sources and/or websites:

http://www.mma.es/portal/secciones/biodiversidad/biodiversidad_marina/inventarios_marina/inventario_nacional/canarios_4_resultados.htm

http://www.mma.es/secciones/biodiversidad/especies_amenazadas/catalogo_especies/vertebrados_mamiferos/pdf/ver405.pdf

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km²:

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Unknown (X)

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Unknown
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
15000	20000	Number of individuals

2.4.2 Date of population estimation: 2000

2.4.3 Methods used for population estimation: Extrapolation from surveys of part of the population or from sampling

2.4.4 Quality of data on area: Poor e.g. based on very incomplete data or on expert judgement

2.4.5 Population trend: Unknown (X)

2.4.6 Population trend magnitude (km²):

2.4.7 Population trend period: 1980-2000

Balaenoptera borealis

2.4.8 Reasons for reported trend:	Unknown
and/or specify:	
2.4.9 Justification of % thresholds for trends (optional):	
2.4.10 Main pressures:	701 - water pollution 730 Military manouvres
2.4.11 Threats	701 - water pollution 730 Military manouvres

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:	No se dispone de información precisa sobre su patrón de migración y preferencias
2.5.2 Area estimation (km2):	
2.5.3 Date of estimation:	
2.5.4 Quality of the data:	
2.5.5 Trend of the habitat:	Stable (=)
2.5.6 Trend period:	1998-2000
2.5.7 Reasons for reported trend:	Unknown
Other (specify):	

2.6 Future prospects for the species:	Unknown
---------------------------------------	---------

2.7 Complementary information

2.7.1 Favourable reference range (km2):	
2.7.2 Favourable reference population:	
2.7.3 Suitable habitat for the species (km2):	
2.7.4 Other relevant information (optional):	

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Favourable (FV)	
Conclusions: (2.6) Future prospects:	Inadequate but improving (U1+)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN SEA**

2.2 Published sources and/or websites:

AGUILAR, A & GRAU, E. 1987 Els cetacis . En: GOSABLEZ, J.(ed.) 1987 Història Natural dels Països Catalans: Amfibis,rèptils i mamífers. Ed. Enciclopedia Catalana. Barcelona.

CRAM 2003. Activitats d’atenció, recuperació, reintroducció i registre d’avaraments, de les diferents espècies de mamífers, rèptils marins, esquals i altres animals de la fauna marina protegida al litoral català.CRAM- Departament de Medi Ambient i Habitatge.CRAM 2007 Serveis d’assistència veterinària i recollida d’animals marins embarrancats al litoral català.Memòria de justificació 2006. CRAM- Departament de Medi Ambient i Habitatge.

RUIZ-OLMO,J. & AGUILAR, A. 1995 Els grans mamífers de Catalunya i Andorra. Lynx Eds. Barcelona

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2:	
2.3.2 Date of range determination:	
2.3.3 Quality of data concerning range:	Good e.g based on extensive surveys

Balaenoptera borealis

2.3.4 Range trend: Unknown (X)

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Other (specify)
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum) Population size estimation (maximum) Population units

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation:

2.4.4 Quality of data on area:

2.4.5 Population trend:

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

2.4.8 Reasons for reported trend: Not applicable
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 210 Professional fishing
250 Taking / Removal of flora, general
621 - nautical sports
701 - water pollution

2.4.11 Threats 210 Professional fishing
520 Shipping
621 - nautical sports
701 - water pollution

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:

2.5.2 Area estimation (km2):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat:

2.5.6 Trend period:

2.5.7 Reasons for reported trend: NotApplicable
Other (specify):

2.6 Future prospects for the species:

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Balaenoptera borealis

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	