

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)


## *Dracaena draco*

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



map-favourable-range



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

Bañares A., Blanca G., Güemes J., Moreno J.C. & Ortiz S., eds. (2003). Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Dirección General de Conservación de la Naturaleza. Madrid. 1072 pp

[http://www.mma.es/porta1/secciones/biodiversidad/inventarios/inb/flora\\_vascular/pdf/604.pdf](http://www.mma.es/porta1/secciones/biodiversidad/inventarios/inb/flora_vascular/pdf/604.pdf)

Evaluación de Especies Amenazadas de Canarias. Dirección General del Medio Natural. Viceconsejería de Medio Ambiente. Gobierno de Canarias, 2003 (documento interno no publicado).

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 1100

2.3.2 Date of range determination: 2003

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Increasing (+)

# Dracaena draco

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period: 1993-2003

2.3.7 Reasons for reported trend: Improved knowledge/more accurate data  
and/or specify

## 2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
697	0	Number of individuals

2.4.2 Date of population estimation: 2003

2.4.3 Methods used for population estimation: From comprehensive inventory

2.4.4 Quality of data on area: Good e.g based on extensive surveys

2.4.5 Population trend: Unknown (X)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

2.4.8 Reasons for reported trend: Other (specify)  
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 400 Urbanised areas, human habitation  
943 - collapse of terrain, landslide  
965 - predation

2.4.11 Threats 965 - predation

## 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Componente de Mayteno-Juniperion canariensis. Habita en riscos, acantilados, la

2.5.2 Area estimation (km2): 1675

2.5.3 Date of estimation: 2007

2.5.4 Quality of the data: Moderate e.g. based on partial data with some extrapolation

2.5.5 Trend of the habitat: Stable (=)

2.5.6 Trend period: 1970-2006

2.5.7 Reasons for reported trend: NaturalProcesses

Other (specify):

2.6 Future prospects for the species: Unknown

## 2.7 Complementary information

2.7.1 Favourable reference range (km2): Less than

2.7.2 Favourable reference population: Less than

2.7.3 Suitable habitat for the species (km2): 525

2.7.4 Other relevant information (optional): No se conoce amenazas genéricas sobre esta especie; sólo se ha constatado afecc

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Bad (U2)	
Conclusions: (2.4) Population:	Bad (U2)	
Conclusions: (2.5) Habitat for the species:	Bad (U2)	

**Dracaena draco**

Conclusions: (2.6) Future prospects:	Unknown (XX)
Conclusions: Overall assessment:	Bad (U2)