


Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Festuca summilusitanica

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ATL MED**

map-distribution



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC**

2.2 Published sources and/or websites:

2002-2007. Catálogo de la Flora Vascular Silvestre de Castilla y León. Consejería de Medio Ambiente de la Junta de Castilla y León.

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km²: 608,19
- 2.3.2 Date of range determination: 20074
- 2.3.3 Quality of data concerning range: Good e.g based on extensive surveys
- 2.3.4 Range trend:
- 2.3.5 Range trend magnitude in km² (optional):
- 2.3.6 Range trend period:
- 2.3.7 Reasons for reported trend: Not applicable
- and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
7	7	Number of localities

- 2.4.2 Date of population estimation: 2007
- 2.4.3 Methods used for population estimation: Based on expert opinion
- 2.4.4 Quality of data on area: Good e.g based on extensive surveys
- 2.4.5 Population trend:
- 2.4.6 Population trend magnitude (km²):
- 2.4.7 Population trend period:
- 2.4.8 Reasons for reported trend: Not applicable

Festuca summilusitanica

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:	140 Grazing 180 Burning 720 Trampling, overuse
2.4.11 Threats	140 Grazing 180 Burning 720 Trampling, overuse

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:	Prados ibéricos silíceos de Festuca indigesta. Pastos de montaña sobre suelos ácid
2.5.2 Area estimation (km2):	
2.5.3 Date of estimation:	
2.5.4 Quality of the data:	
2.5.5 Trend of the habitat:	
2.5.6 Trend period:	
2.5.7 Reasons for reported trend:	NotApplicable
Other (specify):	

2.6 Future prospects for the species:

2.7 Complementary information

2.7.1 Favourable reference range (km2):	
2.7.2 Favourable reference population:	
2.7.3 Suitable habitat for the species (km2):	
2.7.4 Other relevant information (optional):	

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: MEDITERRANEAN

2.2 Published sources and/or websites:

2002-2007. Catálogo de la Flora Vascular Silvestre de Castilla y León. Consejería de Medio Ambiente de la Junta de Castilla y León.

Especies Protegidas de Extremadura: Flora. Consejería de Agricultura y Medio Ambiente, Dirección General de Medio Ambiente, D.L. 2004.

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2:	2027,22
2.3.2 Date of range determination:	2004-2007
2.3.3 Quality of data concerning range:	Good e.g based on extensive surveys
2.3.4 Range trend:	Unknown (X)
2.3.5 Range trend magnitude in km2 (optional):	

Festuca summilusitanica

2.3.6 Range trend period:

2.3.7 Reasons for reported trend: Unknown
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
21	21	Number of localities

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation: Extrapolation from surveys of part of the population or from sampling

2.4.4 Quality of data on area: Good e.g based on extensive surveys

2.4.5 Population trend: Unknown (X)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

2.4.8 Reasons for reported trend: Unknown
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

- 140 Grazing
- 170 Animal breeding
- 180 Burning
- 290 Hunting, fishing or collecting activities not referred to above
- 501 - paths, tracks, cycling tracks
- 620 Outdoor sports and leisure activities
- 720 Trampling, overuse

2.4.11 Threats

- 140 Grazing
- 170 Animal breeding
- 180 Burning
- 290 Hunting, fishing or collecting activities not referred to above
- 501 - paths, tracks, cycling tracks
- 620 Outdoor sports and leisure activities
- 720 Trampling, overuse

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Pastos de montaña sobre suelos ácidos

2.5.2 Area estimation (km2):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat:

2.5.6 Trend period:

2.5.7 Reasons for reported trend: NotApplicable

Other (specify):

2.6 Future prospects for the species: Unknown

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

Festuca summilusitanica

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	