


# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## Iris boissieri

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ATL MED**

map-distribution



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC**

2.2 Published sources and/or websites:

Bañares, Á. et al. (Eds.) (2004). Atlas y Libro Rojo de la Flora Vascular Amenazada de España. DGCN. Madrid, 1069

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 1400
- 2.3.2 Date of range determination: 2007
- 2.3.3 Quality of data concerning range: Good e.g based on extensive surveys
- 2.3.4 Range trend: Stable (=)
- 2.3.5 Range trend magnitude in km2 (optional):
- 2.3.6 Range trend period: 1995-2007
- 2.3.7 Reasons for reported trend:  
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
	1400	Area covered by population

- 2.4.2 Date of population estimation: 2007
- 2.4.3 Methods used for population estimation: From comprehensive inventory
- 2.4.4 Quality of data on area: Good e.g based on extensive surveys
- 2.4.5 Population trend: Stable (=)
- 2.4.6 Population trend magnitude (km2):
- 2.4.7 Population trend period: 1995-2007
- 2.4.8 Reasons for reported trend:  
and/or specify:

# Iris boissieri

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:	162 - artificial planting 250 Taking / Removal of flora, general 501 - paths, tracks, cycling tracks 720 Trampling, overuse
2.4.11 Threats	162 - artificial planting 250 Taking / Removal of flora, general 501 - paths, tracks, cycling tracks 720 Trampling, overuse

## 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:	Suelos pedregosos poco profundos, grietas entre grandes bloques graníticos.
2.5.2 Area estimation (km2):	
2.5.3 Date of estimation:	
2.5.4 Quality of the data:	
2.5.5 Trend of the habitat:	Unknown (X)
2.5.6 Trend period:	
2.5.7 Reasons for reported trend:	
Other (specify):	

2.6 Future prospects for the species: Good prospects - species expected to survive and prosper

## 2.7 Complementary information

2.7.1 Favourable reference range (km2):	
2.7.2 Favourable reference population:	
2.7.3 Suitable habitat for the species (km2):	
2.7.4 Other relevant information (optional):	

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

## 2.2 Published sources and/or websites:

Bañares, Á. et al. (Eds.) (2004). Atlas y Libro Rojo de la Flora Vascular Amenazada de España. DGCN. Madrid, 1069

## 2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2:	600
2.3.2 Date of range determination:	2007
2.3.3 Quality of data concerning range:	Good e.g based on extensive surveys
2.3.4 Range trend:	Stable (=)
2.3.5 Range trend magnitude in km2 (optional):	
2.3.6 Range trend period:	1995-2007
2.3.7 Reasons for reported trend:	

# Iris boissieri

and/or specify

## 2.4 Population of the species in the biogeographic region or marine region

### 2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
	600	Area covered by population

2.4.2 Date of population estimation: 2007

2.4.3 Methods used for population estimation: From comprehensive inventory

2.4.4 Quality of data on area: Good e.g based on extensive surveys

2.4.5 Population trend: Stable (=)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period: 1995-2007

2.4.8 Reasons for reported trend:

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 162 - artificial planting  
250 Taking / Removal of flora, general  
501 - paths, tracks, cycling tracks

2.4.11 Threats 162 - artificial planting  
250 Taking / Removal of flora, general  
501 - paths, tracks, cycling tracks  
720 Trampling, overuse

## 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Suelos pedregosos poco profundos, grietas entre grandes bloques graníticos.

2.5.2 Area estimation (km2):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat: Unknown (X)

2.5.6 Trend period:

2.5.7 Reasons for reported trend:

Other (specify):

2.6 Future prospects for the species: Good prospects - species expected to survive and prosper

## 2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	

**Iris boissieri**

Conclusions: Overall assessment:

Unknown (XX)