

Limonium lanceolatum

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ATL MED**

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC**

2.2 Published sources and/or websites:

Gobierno de Cantabria (2006): Propuesta del Catálogo Regional de Especies de Flora Amenazadas y de interés especial. Informe inédito de la Consejería de Ganadería, Agricultura y Pesca del Gobierno de Cantabria.

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km²: 800
- 2.3.2 Date of range determination: 2006
- 2.3.3 Quality of data concerning range: Moderate e.g. based on partial data with some extrapolation
- 2.3.4 Range trend: Unknown (X)
- 2.3.5 Range trend magnitude in km² (optional):
- 2.3.6 Range trend period: 1982-2006
- 2.3.7 Reasons for reported trend: Improved knowledge/more accurate data
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
17		Number of localities

- 2.4.2 Date of population estimation: 2006
- 2.4.3 Methods used for population estimation: Based on expert opinion
- 2.4.4 Quality of data on area: Good e.g based on extensive surveys
- 2.4.5 Population trend: Stable (=)
- 2.4.6 Population trend magnitude (km²):
- 2.4.7 Population trend period: 1988-2006
- 2.4.8 Reasons for reported trend: Improved knowledge/more accurate data

Limonium lanceolatum

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 400 Urbanised areas, human habitation

2.4.11 Threats

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:

2.5.2 Area estimation (km2):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat: Stable (=)

2.5.6 Trend period: 2005-2006

2.5.7 Reasons for reported trend: ImprovedKnowledge

Other (specify):

2.6 Future prospects for the species: Poor prospects - species likely to struggle unless conditions change

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Favourable (FV)	
Conclusions: (2.4) Population:	Favourable (FV)	
Conclusions: (2.5) Habitat for the species:	Favourable (FV)	
Conclusions: (2.6) Future prospects:	Favourable (FV)	
Conclusions: Overall assessment:	Favourable (FV)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 0

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend:

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend:

and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Limonium lanceolatum

	Population size estimation (minimum)	Population size estimation (maximum)	Population units
	0	0	

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation:

2.4.4 Quality of data on area:

2.4.5 Population trend:

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

2.4.8 Reasons for reported trend:

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

2.4.11 Threats

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:

2.5.2 Area estimation (km2):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat:

2.5.6 Trend period:

2.5.7 Reasons for reported trend:

Other (specify):

2.6 Future prospects for the species:

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population: 0

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	