


# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## Narcissus triandrus

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ATL MED**

map-distribution



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC**

#### 2.2 Published sources and/or websites:

Bañares A., Blanca G., Güemes J, Moreno J.C, Ortiz S. (2003). Atlas y libro rojo de la Flora Vascular Amenazada de España.

T.E. Diaz González, J.A. Fernandez Prieto, H.S. Nava Fernandez, A. Bueno Sánchez. (2003) ASTURNATURA Tercera Epoca N° 19

<http://tematico.asturias.es/mediambi/siapa/web/especies/flora/interes/>

2002-2007. Catálogo de la Flora Vascular Silvestre de Castilla y León. Consejería de Medio Ambiente de la Junta de Castilla y León.

Moreno Sáiz, J.C. & Sáinz Ollero, H. (1992). Atlas corológico de las monocotiledoneas endémicas de la Península Ibérica e Islas Baleares. ICONA Ser. Técnica. Madrid, 354

Ramil, P. & Izco, J. (2002). Inventario de los Humedales de Galicia. Xunta de Galicia. Consellería de Medio Ambiente. Dirección Xeral de Conservación da Natureza. Santiago

#### 2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km<sup>2</sup>: 37992,5
- 2.3.2 Date of range determination: 2007
- 2.3.3 Quality of data concerning range: Good e.g based on extensive surveys
- 2.3.4 Range trend: Stable (=)
- 2.3.5 Range trend magnitude in km<sup>2</sup> (optional):
- 2.3.6 Range trend period: 1995-2007
- 2.3.7 Reasons for reported trend:  
and/or specify

#### 2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
379	0	Number of localities

## Narcissus triandrus

2.4.2 Date of population estimation:	2007
2.4.3 Methods used for population estimation:	From comprehensive inventory
2.4.4 Quality of data on area:	Good e.g based on extensive surveys
2.4.5 Population trend:	Stable (=)
2.4.6 Population trend magnitude (km2):	
2.4.7 Population trend period:	1995-2007
2.4.8 Reasons for reported trend:	
and/or specify:	
2.4.9 Justification of % thresholds for trends (optional):	
2.4.10 Main pressures:	101 - modification of cultivation practices 140 Grazing 162 - artificial planting 180 Burning 250 Taking / Removal of flora, general 501 - paths, tracks, cycling tracks 720 Trampling, overuse
2.4.11 Threats	101 - modification of cultivation practices 140 Grazing 162 - artificial planting 180 Burning 250 Taking / Removal of flora, general 501 - paths, tracks, cycling tracks 720 Trampling, overuse

### 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:	Pastizales entre asomos rocosos y claros de matorral, en zonas ácidas.
2.5.2 Area estimation (km2):	
2.5.3 Date of estimation:	
2.5.4 Quality of the data:	
2.5.5 Trend of the habitat:	
2.5.6 Trend period:	
2.5.7 Reasons for reported trend:	
Other (specify):	

2.6 Future prospects for the species:	Good prospects - species expected to survive and prosper
---------------------------------------	--

### 2.7 Complementary information

2.7.1 Favourable reference range (km2):	
2.7.2 Favourable reference population:	
2.7.3 Suitable habitat for the species (km2):	
2.7.4 Other relevant information (optional):	

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	

# Narcissus triandrus

Conclusions: (2.6) Future prospects: Unknown (XX)  
Conclusions: Overall assessment: Unknown (XX)

## 2.1 Biogeographical region or marine region: MEDITERRANEAN

## 2.2 Published sources and/or websites:

<http://www.ipe.csic.es/floragon>

Moreno Sáiz, J.C. & Sáinz Ollero, H. (1992). Atlas corológico de las monocotiledoneas endémicas de la Península Ibérica e Islas Baleares. ICONA Ser. Técnica. Madrid, 354

Ramil, P. & Izco, J. (2002). Inventario de los Humedales de Galicia. Xunta de Galicia. Consellería de Medio Ambiente. Dirección Xeral de Conservación da Natureza. Santiago

ARIZALETA, J., MEDRANO, L.M., BENITO, J., ALEJANDRE, J.A., 2000. Inventario Flora Vascular Silvestre de La Rioja. Dirección General de Medio Natural. Gobierno de La Rioja.

2002-2007. Catálogo de la Flora Vascular Silvestre de Castilla y León. Consejería de Medio Ambiente de la Junta de Castilla y León.

## 2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 13493,18  
2.3.2 Date of range determination: 2000-2007  
2.3.3 Quality of data concerning range: Good e.g based on extensive surveys  
2.3.4 Range trend: Stable (=)  
2.3.5 Range trend magnitude in km2 (optional):  
2.3.6 Range trend period: 1957-2007  
2.3.7 Reasons for reported trend:  
and/or specify

## 2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
177	0	Number of localities

2.4.2 Date of population estimation: 2006-2007  
2.4.3 Methods used for population estimation: From comprehensive inventory  
Extrapolation from surveys of part of the population or from sampling  
2.4.4 Quality of data on area: Good e.g based on extensive surveys  
2.4.5 Population trend: Stable (=)  
2.4.6 Population trend magnitude (km2):  
2.4.7 Population trend period: 1995-2007  
2.4.8 Reasons for reported trend:  
and/or specify:  
2.4.9 Justification of % thresholds for trends (optional):  
2.4.10 Main pressures:

- 101 - modification of cultivation practices
- 150 Restructuring agricultural land holding
- 161 - forest planting
- 162 - artificial planting
- 163 - forest replanting
- 250 Taking / Removal of flora, general
- 501 - paths, tracks, cycling tracks

# Narcissus triandrus

## 2.4.11 Threats

- 101 - modification of cultivation practices
- 150 Restructuring agricultural land holding
- 161 - forest planting
- 162 - artificial planting
- 163 - forest replanting
- 250 Taking / Removal of flora, general
- 501 - paths, tracks, cycling tracks

## 2,5 Habitat for the species in the biogeographic region or marine region

- 2.5.1 Habitats for the species: Pastos pedregosos y claros de bosque ( pinares, melojares) o matorral (jarales, br
- 2.5.2 Area estimation (km2):
- 2.5.3 Date of estimation:
- 2.5.4 Quality of the data:
- 2.5.5 Trend of the habitat:
- 2.5.6 Trend period:
- 2.5.7 Reasons for reported trend:
- Other (specify):

2.6 Future prospects for the species: Good prospects - species expected to survive and prosper

## 2.7 Complementary information

- 2.7.1 Favourable reference range (km2):
- 2.7.2 Favourable reference population:
- 2.7.3 Suitable habitat for the species (km2):
- 2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	