

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)


Solanum lidii

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



map-favourable-range



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

Beltrán E., Wildpret W., León C., García A. & A. Reyes (1999). Libro Rojo de la Flora Canaria contenida en la Directiva-Hábitats Europea. Min. de Medio Ambiente. 694 pp.

Bañares A., Blanca G., Güemes J., Moreno J.C. & Ortiz S., eds. (2003). Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Dirección General de Conservación de la Naturaleza. Madrid. 1072 pp

http://www.mma.es/portal/secciones/biodiversidad/inventarios/inb/flora_vascular/pdf/1212.pdf

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 200

2.3.2 Date of range determination: 2003

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Decreasing (-)

Solanum lidii

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period:1983-2003

2.3.7 Reasons for reported trend:Improved knowledge/more accurate data
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)

Population size estimation (maximum)

Population units

93

93

Number of individuals

2.4.2 Date of population estimation:2003

2.4.3 Methods used for population estimation:From comprehensive inventory

2.4.4 Quality of data on area:Good e.g based on extensive surveys

2.4.5 Population trend:Stable (=)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:1983-2003

2.4.8 Reasons for reported trend:Improved knowledge/more accurate data
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:400 Urbanised areas, human habitation
943 - collapse of terrain, landslide
965 - predation

2.4.11 Threats400 Urbanised areas, human habitation
943 - collapse of terrain, landslide
965 - predation

2.5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:Matorral ruderal (Artemisio-Rumicetum lunariae Rivas-Martínez et al. 1993) que s

2.5.2 Area estimation (km2):75

2.5.3 Date of estimation:2007

2.5.4 Quality of the data:Moderate e.g. based on partial data with some extrapolation

2.5.5 Trend of the habitat:Unknown (X)

2.5.6 Trend period:1970-2006

2.5.7 Reasons for reported trend:

Other (specify):

2.6 Future prospects for the species:

Poor prospects - species likely to struggle unless conditions change

2.7 Complementary information

2.7.1 Favourable reference range (km2):50Less than

2.7.2 Favourable reference population:50Less than

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):Favourable reference population: 150 individuals/population Especie poco conoci

Conclusion

Biogeographical or marine level

Conclusions within Natura 2000 sites (optional)

Conclusions: (2.3) Range:Bad (U2)

Conclusions: (2.4) Population:Bad (U2)

Solanum lidii

Conclusions: (2.5) Habitat for the species:	Unknown (XX)
Conclusions: (2.6) Future prospects:	Bad (U2)
Conclusions: Overall assessment:	Bad (U2)