

1180 Submarine structures made by leaking gases

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MATL MMED**

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC OCEAN**

2.2 Published sources and/or websites:

Bartolomé, C., J. Álvarez Jiménez, J. Vaquero, M. Costa, M.A. Casermeiro, J. Giraldo & J. Zamora (2005). Los tipos de hábitat de interés comunitario de España. Guía básica. Ministerio de Medio Ambiente. Madrid.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 0

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend:

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend:

and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 0

2.4.2 Date of area estimation:

2.4.3 Method used for area estimation:

2.4.4 Quality of data on area:

2.4.5 Area trend:

2.4.6 Area trend magnitude (km²): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend:

1180 Submarine structures made by leaking gases

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

2.4.11 Threats

2.5 Complementary information

2.5.1 Favourable reference range (km²): 0

2.5.2 Favourable reference area (km²): 0

2.5.3 Typical Species:

2.5.4 Typical species assessment:

2.5.5 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: MEDITERRANEAN SEA

2.2 Published sources and/or websites:

Bartolomé, C., J. Álvarez Jiménez, J. Vaquero, M. Costa, M.A. Casermeiro, J. Giraldo & J. Zamora (2005). Los tipos de hábitat de interés comunitario de España. Guía básica. Ministerio de Medio Ambiente. Madrid.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 0

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend:

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend:

and/or specify

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 0

2.4.2 Date of area estimation:

2.4.3 Method used for area estimation:

2.4.4 Quality of data on area:

2.4.5 Area trend:

2.4.6 Area trend magnitude (km²): 0

2.4.7 Area trend period:

2.4.8 Reasons for reported trend:

1180 Submarine structures made by leaking gases

- and/or specify:
- 2.4.9 Justification of % thresholds for trends (optional):
- 2.4.10 Main pressures:
- 2.4.11 Threats

2.5 Complementary information

- 2.5.1 Favourable reference range (km2): 0
- 2.5.2 Favourable reference area (km2): 0
- 2.5.3 Typical Species:
- 2.5.4 Typical species assessment:
- 2.5.5 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	