

## 16. BIBLIOGRAFÍA

*Se incluyen las referencias de los trabajos citados en el texto acompañados de una selección de artículos relevantes para este tipo de estudios. La bibliografía está centrada especialmente en los modelos de distribución potencial pero se incluyen también trabajos puntuales sobre regeneración, biodiversidad y cambio climático. El objetivo es ofrecer una bibliográfica bastante completa sobre este tema, útil para cualquier equipo que quiera revisar los fundamentos de las técnicas o introducirse en el campo de los modelos predictivos.*

- ALBA-SÁNCHEZ F, JA LÓPEZ-SÁEZ, BB PANDO, JC LINARES, J NIETO-LUGILDE & L LOPEZ-MERINO (2010) Past and present potential distribution of the Iberian *Abies* species: a phytogeographic approach using fossil pollen data and species distribution models. *Diversity and Distributions* 16 (2): 214-228.
- ALLOUCHE O, O STEINITZ, D ROTEM, A ROSENFELD & R KADMON (2008) Incorporating distance constraints into species distribution models. *Journal of Applied Ecology* 45: 599-609.
- ANDERSON RP, M GÓMEZ-LAVERDE & AT PETERSON (2002) Geographical distributions of spiny pocket mice in South America: insights from predictive models. *Global Ecology and Biogeography* 11 (2): 131-141.
- ARAÚJO MB & A GUISAN (2006) Five (or so) challenges for species distribution modelling. *Journal of Biogeography* 33: 1677-1688.
- ARAÚJO MB & M LUOTO (2007) The importance of biotic interactions for modelling species distributions under climate change. *Global Ecology and Biogeography* 16: 743-753.
- ARAÚJO MB & M NEW (2007) Ensemble forecasting of species distributions. *Trends in Ecology and Evolution* 22: 42-47.
- ARAÚJO MB & RG PEARSON (2005) Equilibrium of species' distributions with climate. *Ecography* 28: 693-695.
- ARAÚJO MB, RG PEARSON, W THUILLER & M ERHARD (2005a) Validation of species-climate impact models under climate change. *Global Change Biology* 11: 1504-1513.
- ARAÚJO MB, W THUILLER & RG PEARSON (2006) Climate warming and the decline of amphibians and reptiles in Europe. *Journal of Biogeography* 33: 1712-1728.
- ARAÚJO MB, W THUILLER, PH WILLIAMS & I REGINSTER (2005b) Downscaling European species atlas distributions to a finer resolution: implications for conservation planning. *Global Ecology and Biogeography* 14: 17-30.
- ARAÚJO MB & PH WILLIAMS (2000) Selecting areas for species persistence using occurrence data. *Biological Conservation* 96: 331-345.
- AUSTIN M (2007) Species distribution models and ecological theory: A critical assessment and some possible new approaches. *Ecological Modelling* 200: 1-19.
- AUSTIN M (2002) Spatial prediction of species distribution: an interface between ecological theory and statistical modelling. *Ecological Modelling* 157: 101-118.
- BAHN V & BJ MCGILL (2007) Can niche-based distribution models outperform spatial interpolation? *Global Ecology and Biogeography* 16 (6): 733-742.
- BEAUMONT LJ, RV GALLAGHER, W THUILLER, PO DOWNEY, MR LEISHMAN et al. (2009) Different climatic envelopes among invasive populations may lead to underestimations of current and future biological invasions. *Diversity and Distributions* 15 (3): 409-420.
- BENITO DE PANDO B & J PEÑAS DE GILES (2007) Aplicación de modelos de distribución de especies a la conservación de la biodiversidad en el sureste de la Península Ibérica. *Geofocus* 7: 100-119.
- BENITO GARZÓN M (2006) El efecto del cambio climático sobre las distribuciones de los bosques ibéricos: pasado, presente y futuro. Tesis Doctoral, Departamento de Biología. Universidad Autónoma de Madrid. Madrid, 212 pp.

- BENITO GARZÓN M, R SÁNCHEZ DE DIOS & H SÁINZ OLLERO (2007) Predictive modelling of tree species distributions on the Iberian Peninsula during the Last Glacial Maximum and Mid-Holocene. *Ecography* 30: 120-134.
- BOTKIN DB, H SAXE, MB ARAUJO, R BETTS, R BRADSHAW et al. (2007) Forecasting the effects of global warming on biodiversity. *Bioscience* 57: 227-236.
- BOURG NA, WJ MCSHEA & DE GILL (2005) Putting a cart before the search: successful habitat prediction for a rare forest herb. *Ecology* 86: 2793-2804.
- BRADLEY BA & E FLEISHMAN (2008) Can remote sensing of land cover improve species distribution modelling? *Journal of Biogeography* 35 (7): 1158-1159.
- BRAMBILLA M, F CASALE, V BERGERO, CG MATTEO, R FALCO et al. (2009) GIS-models work well, but are not enough: Habitat preferences of *Lanius collurio* at multiple levels and conservation implications. *Biological Conservation* 142 (10): 2033-2042.
- BREIMAN L (2001) Random Forests. *Machine Learning* 45: 5-32.
- BREIMAN L., F FRIEDMAN, R OLSHEN & C STONE (1984) Classification and regression trees. Wadsworth and Brooks pp. Pacific Grove, CA, USA.
- BROENNIMANN O, UA TREIER, H MÜLLER-SCHÄRER, W THUILLER, AT PETERSON, A GUIGAN (2007) Evidence of climatic niche shift during biological invasion. *Ecology Letters* 10: 701-709.
- BROOK B, R AKÇAKAYA, D KEITH, G MACE, RG PEARSON, MB ARAÚJO (2009) Integrating bioclimate with population models to improve forecasts of species extinctions under climate change. *Biology Letters* 5: 723-725
- BROTONS L, S HERRANDO & M PLA (2007) Updating bird species distribution at large spatial scales: applications of habitat modelling to data from long-term monitoring programs. *Diversity and Distributions* 13: 276-288.
- BROTONS L, W THUILLER, MB ARAÚJO & AH HIRZEL (2004) Presence-absence versus presence-only modelling methods for predicting bird habitat suitability. *Ecography* 27: 437-448.
- BRUNET M, MJ CASADO, M DE CASTRO, P GALÁN, JA LÓPEZ, JM MARTÍN, A PASTOR, E PETISCO, P RAMOS, J RIBALAYGUA, E RODRÍGUEZ, I SANZ & L TORRES (2009) Generación de escenarios regionalizados de cambio climático para España. AEMET Madrid, 158 p.
- BUERMANN W, S SAATCHI, TB SMITH, BR ZUTTA, JA CHAVES et al. (2008) Predicting species distributions across the Amazonian and Andean regions using remote sensing data. *Journal of Biogeography* 35 (7): 1160-1176.
- BUSBY JR (1991) BIOCLIM: A bioclimate analysis and prediction system. In: Margules, C.R.A.A., M.P. (ed.), *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*: 64-68. CSIRO. Australia.
- CALENGE C, G DARMON, M BASILLE, A LOISON & JM JULLIEN (2008) The factorial decomposition of the Mahalanobis distances in habitat selection studies. *Ecology* 89: 555-566.
- CARNAVAL AC & C MORITZ (2008) Historical climate modelling predicts patterns of current biodiversity in the Brazilian Atlantic forest. *Journal of Biogeography* 35 (7): 1187-1201.
- CARPENTER G, AN GILLISON & J WINTER (1993) DOMAIN: a flexible modelling procedure for mapping potential distributions of plants and animals. *Biodiversity and Conservation* 2: 667-680.
- CAWSEY EM, MP AUSTIN & BL BAKER (2002) Regional vegetation mapping in Australia: a case study in the practical use of statistical modeling. *Biodiversity and Conservation* 11: 2239-2274.
- CEBALLOS G, PR EHRlich, J SOBERÓN, I SALAZAR & JP FAY (2005) Global Mammal Conservation: What Must We Manage? *Science* 309: 603-607.
- CHEFAOUI RM & JM LOBO (2008) Assessing the effects of pseudo-absences on predictive distribution model performance. *Ecological Modelling* 210 (4): 478-486.
- COUDUN C, JC GEGOUT, C PIEDALLU & JC RAMEAU (2006) Soil nutritional factors improve models of plant species distribution: an illustration with *Acer campestre* (L.) in France. *Journal of Biogeography* 33 (10): 1750-1763.
- CUESTA F, MF PERALVO & FT van MANEN 2003. Andean bear habitat use in the Oyacachi River Basin, Ecuador. *Ursus* 14: 198-209.
- CUMMING GS (2000) Using habitat models to map diversity: pan-African species richness of ticks (*Acari: Ixodida*). *Journal of Biogeography* 27: 425-440.

- DANKS FS & DR KLEIN (2002) Using GIS to predict potential wildlife habitat: a case study of muskoxen in northern Alaska. *International Journal of Remote Sensing* 23: 4611-4632.
- DAVIS AJ, LS JENKINSON, JH LAWTON, B SHORROCKS & S WOOD (1998) Making mistakes when predicting shifts in species range in response to global warming. *Nature* 391: 783-786.
- DOMINGUEZ-DOMINGUEZ O, E MARTINEZ-MEYER, L ZAMBRANO & GPP DE LEON (2006) Using ecological-niche modeling as a conservation tool for freshwater species: live-bearing fishes in central Mexico. *Conservation biology* 20: 1730-1739.
- DORMANN CF, JM MCPHERSON, MB ARAUJO, R BIVAND, J BOLLIGER et al. (2007) Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. *Ecography* 30 (5): 609-628.
- DRAKE JM, C RANDIN & A GUIGAN (2006) Modelling ecological niches with support vector machines. *Journal of Applied Ecology* 43: 424-432.
- EARLY R., B ANDERSON & CD THOMAS (2008) Using habitat distribution models to evaluate large-scale landscape priorities for spatially dynamic species. *Journal of Applied Ecology* 45 (1): 228-238.
- EDWARDS JTC, DR CUTLER, NE ZIMMERMANN, L GEISER & GG MOISEN (2006) Effects of sample survey design on the accuracy of classification tree models in species distribution models. *Ecological Modelling* 199 (2): 132-141.
- ELITH J (2002) Predicting the distribution of plants. School of Botany. The University of Melbourne. 304 pp.
- ELITH J & CH GRAHAM (2009) Do they? How do they? WHY do they differ? On finding reasons for differing performances of species distribution models. *Ecography* 32 (1): 66-77.
- ELITH J, CH GRAHAM, RP ANDERSON, M DUDÍK, S FERRIER et al. (2006) Novel methods improve prediction of species' distributions from occurrence data. *Ecography* 29: 129-151.
- ELITH J & JR LEATHWICK (2007) Predicting species distributions from museum and herbarium records using multiresponse models fitted with multivariate adaptive regression splines. *Diversity and distributions* 13: 265-275.
- ELITH J, JR LEATHWICK & T HASTIE (2008) A working guide to boosted regression trees. *Journal of Animal Ecology* 77 (4): 802-813.
- ENGLER R & A GUIGAN (2009) MigClim: Predicting plant distribution and dispersal in a changing climate. *Diversity and Distributions* 15 (4): 590-601.
- ENGLER R, A GUIGAN & L RECHSTEINER (2004) An improved approach for predicting the distribution of rare and endangered species from occurrence and pseudo-absence data. *Journal of Applied Ecology* 41 (2): 263-274.
- FELICÍSIMO AM, E FRANCÉS, JM FERNÁNDEZ, A GONZÁLEZ-DÍEZ & J VARAS (2002) Modeling the potential distribution of forests with a GIS. *Photogrammetric Engineering and Remote Sensing* 68 (5): 455-461.
- FELICÍSIMO AM & A GÓMEZ (2003) Potential distribution of forests species in Dehesas of Extremadura (Spain). International Symposium on Sustainability of Dehesas, Montados and other agrosilvopastoral systems, Cáceres, España.
- FERRIER S & A GUIGAN (2006) Spatial modelling of biodiversity at the community level. *Journal of Applied Ecology* 43 (3): 393-404.
- FERRIER S, G MANION, J ELITH & K RICHARDSON (2007) Using generalised dissimilarity modelling to analyse and predict patterns of beta-diversity in regional biodiversity assessment. *Diversity and distributions* 13: 252-264.
- FIELDING AH & JF BELL (1997) A review of methods for the assessment of prediction errors in conservation presence/absence models. *Environmental Conservation* 24 (1): 38-49.
- FITZPATRICK MC, JF WELTZIN, NJ SANDERS & RR DUNN (2007) The biogeography of prediction error: why does the introduced range of the fire ant over-predict its native range? *Global Ecology and Biogeography* 16: 24-33.
- FLATHER CH, KR WILSON, DJ DEAN & WC MCCOMB (1997) Identifying gaps in conservation networks: of indicators and uncertainty in geographic-based analyses. *Ecological Applications* 7: 531-542.
- FRANKLIN K (1995) Predictive vegetation mapping: geographic modelling of biospatial patterns in relation to environmental gradients. *Progress in Physical Geography* 19 (4): 474-499.

- FRIEDMAN JH (1991) Multivariate adaptive regression splines. *Annals of Statistics* 19: 1-141.
- GAUBERT P, M PAPES & AT PETERSON (2006) Natural history collections and the conservation of poorly known taxa: ecological niche modeling in central African rainforest genets (*Genetta* spp.). *Biological Conservation* 130: 106-117.
- GODOWN ME & AT PETERSON (2000) Preliminary distributional analysis of US endangered bird species. *Biodiversity and Conservation* 9 (9): 1313-1322.
- GODRON M (1965) Les principaux types de profils écologiques. CNRS-CEPE, 8 pp. Montpellier. Francia.
- GÓMEZ APARICIO L (2004) Papel de la heterogeneidad en la regeneración del *Aceropalus* subsp. *granatense* en la montaña mediterránea: implicaciones para la conservación y restauración de sus poblaciones. *Ecosistemas* 13 (3): 123-128.
- GONZÁLEZ PELLEJERO R, A ÁLVAREZ CAÑADA (2004) El Mapa Forestal de España, una obra secular (1868-1966) concluida por Luis Ceballos. *Ería* 64-65: 285-318.
- GRAHAM CH, J ELITH, RJ HIJMANS, A GUI SAN, AT PETERSON et al. (2008) The influence of spatial errors in species occurrence data used in distribution models. *Journal of Applied Ecology* 45: 239-247.
- GRAHAM CH, S FERRIER, F HUETTMAN, C MORITZ & AT PERTESON (2004a) New developments in museum-based informatics and applications in biodiversity analysis. *Ecology and Evolution* 19 (9): 497-503.
- GRAHAM CH & RJ HIJMANS (2006) A comparison of methods for mapping species ranges and species richness. *Global Ecology and Biogeography* 15: 578-587.
- GRAHAM CH, SR RON, JC SANTOS, CJ SCHNEIDER & C MORITZ (2004b) Integrating phylogenetics and environmental niche models to explore speciation mechanisms in *Dendrobatid* frogs. *Evolution Psychiatrique* 58 (8): 1781-1793.
- GRAHAM MH (2003) Confronting multicollinearity in ecological multiple regression. *Ecology* 84: 2809-2815.
- GRINNELL J 1917. The niche relationship of the California Thrasher. *Auk* 34: 427-433.
- GU W & RK SWIHART (2004) Absent or undetected? Effects of non-detection of species occurrence on wildlife-habitat models. *Biological Conservation* 116 (2): 195-203.
- GUI SAN A, O BROENNIMANN, R ENGLER, M VUST, NG YOCCOZ et al. (2006) Using Niche-Based Models to Improve the Sampling of Rare Species. *Conservation Biology* 20: 501-511.
- GUI SAN A, CH GRAHAM, J ELITH, F HUETTMANN & NSDM GROUP (2007a) Sensitivity of predictive species distribution models to change in grain size. *Diversity and Distributions* 13: 332-340.
- GUI SAN A, JP THEURILLAT & F KIENAST (1998) Predicting the potential distribution of plant species in an alpine environment. *Journal of Vegetation Science* 9: 65-74.
- GUI SAN A & W THUILLER (2005) Predicting species distribution: offering more than simple habitat models. *Ecology Letters* 8: 993-1009.
- GUI SAN A, SB WEISS & AD WEISS (1999) GLM versus CCA spatial modeling of plant species distribution. *Plant Ecology* 143: 107-122.
- GUI SAN A & NE ZIMMERMANN (2000) Predictive habitat distribution models in ecology. *Ecological Modelling* 135: 147-186.
- GUI SAN A, NE ZIMMERMANN, J ELITH, CH GRAHAM, S PHILLIPS et al. (2007b) What matters for predicting the occurrences of trees: Techniques, data, or species' characteristics? *Ecological Monographs* 77: 615-630.
- GURALNICK P, AW HIL & M LANE (2007) Towards a collaborative, global infrastructure for biodiversity assessment. *Ecology Letters* 10: 663-672.
- GUTIÉRREZ D, P FERNÁNDEZ, AS SEYMOUR & D JORDANO (2005) Habitat distribution models: are mutualist distributions good predictors of their associates? *Ecological Applications* 15: 3-18.
- HAMAZAKI T (2002) Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from cape Hatteras, North Carolina, USA to nova Scotia, Canada). *Marine Mammal Science* 18 (4): 920-939.
- HAMPE A (2004) Bioclimate envelope models: what they detect and what they hide. *Global Ecology and Biogeography* 13: 469-471.
- HANLEY JA & BJ MCNEIL (1982) The meaning and use of the area under a Receiver Operating Characteristic (ROC) Curve. *Radiology* 143 (1): 29-36.

- HANNAH L, G MIDGLEY, S ANDELMAN, MA ARAUJO, G HUGHES et al. (2007) Protected area needs in a changing climate. *Frontiers in Ecology and Environment* 5: 131-138.
- HEIKKINEN RK, M LUOTO, R VIRKKALA, RG PEARSON & JH KÖRBER (2007) Biotic interactions improve prediction of boreal bird distributions at macro-scales. *Global Ecology and Biogeography* 16: 754-763.
- HEINÄNEN S & MV NUMERS (2009) Modelling species distribution in complex environments: an evaluation of predictive ability and reliability in five shorebird species. *Diversity and Distributions* 15 (2): 266-279.
- HERBORG LM, P O'HARA & TW THERRIAULT (2009) Forecasting the potential distribution of the invasive tunicate *Didemnum vexillum*. *Journal of Applied Ecology* 46 (1): 64-72.
- HERNANDEZ, PA, CH GRAHAM, LL MASTER & DL ALBERT (2006). The effect of sample size and species characteristics on performance of different species distribution modeling methods. *Ecography* 29: 773-785.
- HORTAL J, P GARCÍA-PEREIRA, E GARCÍA-BARROS (2004). Butterfly species richness in mainland Portugal: Predictive models of geographic distribution patterns. *Ecography* 27: 68-82.
- HIJMANS RJ, SE CAMERON, JL PARRA, PG JONES & A JARVIS (2005) Very high resolution interpolated climate surfaces for global land areas. *International Journal of Climatology* 25: 1965-1978.
- HINOJOSA-DÍAZ IA, TP FERIA-ARROYO & MS ENGEL (2009) Potential distribution of orchid bees outside their native range: The cases of *Eulaema polychroma* (Mocsáry) and *Euglossa viridissima* Friese in the USA (Hymenoptera: Apidae). *Diversity and Distributions* 15 (3): 421-428.
- HIRZEL A & A GUISAN (2002) Which is the optimal sampling strategy for habitat suitability modelling. *Ecological Modelling* 157: 331-341.
- HIRZEL AH, J HAUSSER, D CHESSEL & N PERRIN (2002) Ecological-niche factor analysis: How to compute habitat-suitability maps without absence data? *Ecology* 83: 2027-2036.
- HIRZEL AH, V HELFER & F METRAL (2001) Assessing habitat-suitability models with a virtual species. *Ecological Modelling* 145: 111-121.
- HIRZEL AH, & GL LAY (2008) Habitat suitability modelling and niche theory. *Journal of Applied Ecology* 45: 1372-1381.
- HOPKINS MJG (2007) Modelling the known and unknown plant biodiversity of the Amazon Basin. *Journal of Biogeography* 34: 1400-1411.
- HORTAL J (2008) Uncertainty and the measurement of terrestrial biodiversity gradients. *Journal of Biogeography* 35 (8): 1335-1336.
- HORTAL J, P GARCIA-PEREIRA & E GARCÍA-BARROS (2004) Butterfly species richness in mainland Portugal: Predictive models of geographic distribution patterns. *Ecography* 27: 68-82.
- IPCC (2000) Informe especial del IPCC. Escenarios de emisiones. Grupo Intergubernamental de expertos sobre cambio climático, 27 pp.
- IRVINE RJ, S FIORINI, S YEARLEY, JE MCLEOD, A TURNER et al. (2009) Can managers inform models? Integrating local knowledge into models of red deer habitat use. *Journal of Applied Ecology* 46 (2): 344-352.
- IVERSON LR (2004) How fast and far might tree species migrate in the eastern United States due to climate change? *Global Ecology and Biogeography* 13: 209-219.
- IVERSON LR, A PRASAD & MW SCHWARTZ (1999) Modeling potential future individual tree-species distributions in the eastern United States under a climate change scenario: a case study with *Pinus virginiana*. *Ecological Modelling* 115: 77-93.
- JARNEVICH CS, TJ STOHLGREN, D BARNETT & J KARTESZ (2006) Filling in the gaps: modelling native species richness and invasions using spatially incomplete data. *Diversity and Distributions* 12: 511-520.
- JIMÉNEZ-VALVERDE A, JM LOBO & J HORTAL (2008) Not as good as they seem: the importance of concepts in species distribution modelling. *Diversity and Distributions* 14: 885-890.
- JOHNSON CG & MP GILLINGHAM (2005) An evaluation of mapped species distribution models used for conservation planning. *Environmental Conservation* 2005: 117-128.
- JONES PG & A GLADKOV (1999) FloraMap: A computer tool for predicting the distribution of plants and other organisms in the Wild. Centro Internacional de Agricultura, Tropical (CIAT), 99 pp. Cali.

- KADMON R, O FARBER & A DANIN (2003) A systematic analysis of factors affecting the performance of climatic envelope models. *Ecological Applications* 13: 853-867.
- KADMON R, O FARBER & A DANIN (2004) Effect of roadside bias on the accuracy of predictive maps produced by bioclimatic models. *Ecological Applications* 14: 401-413.
- KEARNEY M (2006) Habitat, environment and niche: what are we modelling? *Oikos* 115 (1): 186-191.
- KEARNEY M. & W PORTER (2009) Mechanistic niche modelling: combining physiological and spatial data to predict species' ranges. *Ecology Letters* 12 (4): 334-350.
- KOLAR CS & DM LODGE (2002) Ecological predictions and risk assessment for alien fishes in North America. *Science* 298: 1233-1236.
- LATIMER AM, S BANERJEE & ES MOSHER (2009) Hierarchical models facilitate spatial analysis of large data sets: a case study on invasive plant species in the northeastern United States. *Ecology Letters* 12 (2): 144-154.
- LEATHWICK JR (2001) New Zealand's potential forest pattern as predicted from current species-environment relationships. *New Zealand Journal of Botany* 39: 447-464.
- LEATHWICK JR (2002) Intra-generic competition among *Nothofagus* in New Zealand's primary indigenous forests. *Biodiversity and Conservation* 11: 2177-2187.
- LEATHWICK JR, J ELITH & T HASTIE (2006) Comparative performance of generalized additive models and multivariate adaptive regression splines for statistical modelling of species distributions. *Ecological Modelling* 199 (2): 188-196.
- LEHMANN A, JR LEATHWICK & JM OVERTON (2002) Assessing New Zealand fern diversity from spatial predictions of species assemblages. *Biodiversity and Conservation* 11: 2217-2238.
- LEHMANN A, JMC OVERTON & JR LEATHWICK (2003) GRASP: generalized regression analysis and spatial prediction. *Ecological Modelling* 160: 65-183.
- LESTER SE, BI RUTTENBERG, SD GAINES & BP KINLAN (2007) The relationship between dispersal ability and geographic range size. *Ecology Letters* 10: 745-758.
- LOARIE SR, PB DUFFY, H HAMILTON, GP ASNER, CB FIELD et al. (2009) The velocity of climate change. *Nature* 462 (7276): 1052-1055.
- LOBO JM (2008) More complex distribution models or more representative data? *Biodiversity Informatics* 5: 14-19.
- LOBO JM, I CASTRO & JC MORENO (2001) Spatial and environmental determinants of vascular plant species richness distribution in the Iberian Peninsula and Balearic Islands. *Biological Journal of the Linnean Society of London* 73: 233-253.
- LOBO JM, A JIMÉNEZ-VALVERDE & R REAL (2008) AUC: a misleading measure of the performance of predictive distribution models. *Global Ecology and Biogeography* 17: 145-151.
- LOISELLE BA, PM JØRGENSEN, T CONSIGLIO, I JIMÉNEZ, JC BLAKE et al. (2008) Predicting species distributions from herbarium collections: does climate bias in collection sampling influence model outcomes? *Journal of Biogeography* 35: 105-116.
- LOISSELLE B, CA HOWELL, CH GRAHAM, JM GOERCK, T BROOKS et al. (2003) Avoiding pitfalls of using species distributions models in conservation planning. *Conservation biology* 17: 1591-1600.
- LUOTO M, RK HEIKKINEN, J POYRY & K SAARINEN (2006) Determinants of the biogeographical distribution of butterflies in boreal regions. *Journal of Biogeography* 33 (10): 1764-1778.
- MAGGINI R, A LEHMANN, NE ZIMMERMANN & A GUIAN (2006) Improving generalized regression analysis for the spatial prediction of forest communities *Journal of Biogeography* 33: 1729-1749.
- MANEL S, JM DIAS, & SJ ORMEROD (1999) Comparing discriminant analysis, neural networks and logistic regression for predicting species distributions: a case study with a Himalayan river bird. *Ecological Modelling* 120: 337-347.
- MANEL S, HC WILLIAMS & SJ ORMEROD (2001) Evaluating presence-absence models in ecology: the need to account prevalence. *Journal of Applied Ecology* 38: 921-931.
- MARMION M, M PARVIAINEN, M LUOTO, RK HEIKKINEN & W THUILLER (2009) Evaluation of consensus methods in predictive species distribution modelling. *Diversity and distributions* 15: 59-69.

- MARTÍNEZ-FREIRÍA F, N SILLERO, M LIZANA & JC BRITO (2008) GIS-based niche models identify environmental correlates sustaining a contact zone between three species of European vipers. *Diversity and Distributions* 14 (3): 452-461.
- MARTÍNEZ-MEYER E, AT PETERSON, JI SERVÍN & LF KIFF (2006) Ecological niche modelling and prioritizing areas for species reintroductions. *Oryx* 40: 411 -418.
- MATEO RG (2008) Modelos predictivos de riqueza de diversidad vegetal. Comparación y optimización de métodos de modelado ecológico. Tesis Doctoral. Universidad Complutense de Madrid. Madrid, 187 pp.
- MATEO RG, TB CROAT, AM FELICÍSIMO & J MUÑOZ (2009) Profile or group discriminative techniques? Generating reliable species distribution models using pseudo-absences and target-group absences from natural history collections. *Diversity and Distributions* 16 (1): 84-94.
- MATEO RG, AM FELICÍSIMO & J MUÑOZ (2010) Effects of the number of presences on the reliability and stability of MARS species distribution models: the importance of regional niche variation and ecological heterogeneity. *Journal of Vegetation Science*, 5: 908-922.
- MAXTED N, E DULLOO, BV FORD-LLOYD, JM IRIONDO, A JARVIS (2008) Gap analysis: a tool for complementary genetic conservation assessment. *Diversity and Distributions* 14: 1018-1030.
- MCPHERSON JM, W JETZ & DJ ROGERS (2004) The effects of species' range sizes on the accuracy of distribution models: ecological phenomenon or statistical artifact? *Journal of Applied Ecology* 41: 811-823.
- MENKE SB, DA HOLWAY, RN FISHER & W JETZ (2009) Characterizing and predicting species distributions across environments and scales: Argentine ant occurrences in the eye of the beholder. *Global Ecology and Biogeography* 18 (1): 50-63.
- MEYNARD N & JF QUINN (2007) Predicting species distributions: a critical comparison of the most common statistical models using artificial species. *Journal of Biogeography* 34: 1455-1469.
- MIDGLEY GF, L HANNAH, D MILLAR, W THUILLER & A BOOTH (2003) Developing regional and species-level assessments of climate change impacts on biodiversity in the Cape Floristic Region. *Biological Conservation* 112 (1-2): 87-97.
- MILLER J, J FRANKLIN & R ASPINALL (2007) Incorporating spatial dependence in predictive vegetation models. *Ecological Modelling* 202 (3-4): 225-242.
- MOISEN GG, EA FREEMAN, JA BLACKARD, NE ZIMMERMANN & TC EDWARDS (2006) Predicting tree species presence and basal area in Utah: A comparison of stochastic gradient boosting, generalized additive models, and tree-based methods *Ecological Modelling* 199: 176-187.
- MOISEN GG & TS FRESCINO (2002) Comparing five modelling techniques for predicting forest characteristics. *Ecological Modelling* 157: 209-225.
- MORENO JC coord. (2008) Lista Roja 2008 de la flora vascular española. Dirección General de Medio Natural y Política Forestal (Ministerio de Medio Ambiente, y Medio Rural y Marino, y Sociedad Española de Biología de la Conservación de Plantas), Madrid, 86 pp.
- MÜCHER CA, SM HENNEKENS, RGH BUNCE, JHJ SCHAMINÉE & SCHAEPMAN (2009) Modelling the spatial distribution of Natura 2000 habitats across Europe. *Landscape and Urban Planning* 92: 148-159.
- MUÑOZ J & AM FELICÍSIMO (2004) A comparison between some statistical methods commonly used in predictive modeling. *Journal of Vegetation Science* 15: 285-292.
- MURPHY HT & J LOVETT-DOUST (2007) Accounting for regional niche variation in habitat suitability models. *Oikos* 116 (1): 99-110.
- NOGUÉS-BRAVO D (2009) Predicting the past distribution of species climatic niches. *Global Ecology and Biogeography* 18 (5): 521-531.
- NOGUÉS-BRAVO D, F PULIDO, F VALLADARES, I ARANDA & I MARTÍNEZ (2008) Towards an integrative approach for evaluating species' distributional responses to rapid environmental change. *DANBIF. Biodiversity Informatics and Climate Change Impacts on Life*, University of Aarhus.
- OLIVIER F & SJ WOTHERSPOON (2006) Modelling habitat selection using presence-only data: Case study of a colonial hollow nesting bird, the snow petrel. *Ecological Modelling* 195: 187-204.

- ORTEGA-HUERTA MA & AT PETERSON (2004) Modelling spatial patterns of biodiversity for conservation prioritization in North-eastern Mexico. *Diversity and Distributions* 10: 39-54.
- OSBORNE PE & PJ LEITÃO (2009) Effects of species and habitat positional errors on the performance and interpretation of species distribution models. *Diversity and Distributions* 15 (4): 671-681.
- OSBORNE PE & S SUÁREZ-SEOANE (2002) Should data be partitioned spatially before building large-scale distribution models? *Ecological Modelling* 157 (2-3): 249-259.
- OTTAVIANI D, GJ LASINIO & L BOITANI (2004) Two statistical methods to validate habitat suitability models using presence-only data. *Ecological Modelling* 179: 417-443.
- PAPE M & P GAUBERT (2007) Modelling ecological niches from low numbers of occurrences: assessment of the conservation status of poorly known viverrids (Mammalia, Carnivora) across two continents. *Diversity and distributions* 13: 890-902.
- PARVIAINEN M, M LUOTO, T RYTTÄRI & RK HEIKKINEN (2008) Modelling the occurrence of threatened plant species in taiga landscapes: methodological and ecological perspectives. *Journal of Biogeography* 35 (10): 1888-1905.
- PARVIAINEN M, M MARMION, M LUOTO, W THUILLER & RK HEIKKINEN (2009) Using summed individual species models and state-of-the-art modelling techniques to identify threatened plant species hotspots. *Biological Conservation* 142 (11): 2501-2509.
- PEARCE J & M BOYCE (2006) Modelling distribution and abundance with presence-only data. *Journal of Applied Ecology* 43: 405-412.
- PEARCE J & S FERRIER (2001) The practical value of modelling relative abundance of species for regional conservation planning: a case study. *Biological Conservation* 98: 33-43.
- PEARMAN PB, CF RANDIN, O BROENNIMANN, P VITTOZ, WODV KNAAP et al. (2008) Prediction of plant species distributions across six millennia. *Ecology Letters* 11 (4): 357-369.
- PEARSON RG & TP DAWSON (2003) Predicting the impacts of climate change on the distribution of species: are bioclimate envelope models useful? *Global Ecology and Biogeography* 12: 361-371.
- PEARSON RG & TP DAWSON (2004) Bioclimate envelope models: what they detect and what they hide — response to Hampe (2004). *Global Ecology and Biogeography* 13: 469-476.
- PEARSON RG & TP DAWSON (2005) Long-distance plant dispersal and habitat fragmentation: identifying conservation targets for spatial landscape planning under climate change. *Biological Conservation* 123: 389-401.
- PEARSON RG, TP DAWSON, PM BERRY & PA HARRISON (2002) SPECIES: A spatial evaluation of climate impact on the envelope of species. *Ecological Modelling* 154 (3): 289-300.
- PEARSON RG, CJ RAXWORTHY, M NAKAMURA & AT PETERSON (2007) Predicting species distributions from small numbers of occurrence records: a test case using cryptic geckos in Madagascar. *Journal of Biogeography* 34: 102-117.
- PEARSON RG, W THUILLER, MB ARAUJO, E MARTINEZ-MEYER, L BROTONS et al. (2006) Model-based uncertainty in species range prediction. *Journal of Biogeography* 33: 1704-1711.
- PETERSON AT (2003) Predicting the geography of species' invasions via ecological niche modeling. *Quarterly Review of Biology* 78: 419-433.
- PETERSON AT (2006) Uses and requirements of ecological niche models and related distributional models. *Biodiversity Informatics* 3: 59-72.
- PETERSON AT & Y NAKAZAWA (2008) Environmental data sets matter in ecological niche modelling: an example with *Solenopsisinvicta* and *Solenopsisrichteri*. *Global Ecology and Biogeography* 17: 135-144.
- PETERSON AT, MA ORTEGA-HUERTA, J BARTLEY, V SÁNCHEZ-CORDERO, J SOBERÓN et al. (2002a) Future projections for Mexican faunas under global climate change scenarios. *Nature* 416: 626-629.
- PETERSON AT, M PAPE & M EATON (2007) Transferability and model evaluation in ecological niche modeling: a comparison of GARP and Maxent. *Ecography* 30: 550-560.
- PETERSON AT, M PAPER & J SOBERÓN (2008) Rethinking receiver operating characteristic analysis applications in ecological niche modeling. *Ecological Modelling* 213: 63-72.



- PETERSON AT, V SANCHEZ-CORDERO, C BEN BEARD & JM RAMSEY (2002b) Ecologic niche modeling and potential reservoirs for Chagas disease, Mexico. *Emerging Infectious Diseases* 8: 662-667.
- PHILLIPS SJ, M DUDÍK, RE SCHAPIRE (2004) A maximum entropy approach to species distribution modeling, In *Proceedings of the Twenty-First International Conference on Machine Learning*: 655-662.
- PHILLIPS SJ, RP ANDERSON & RP SCHAPIRE (2006) Maximum entropy modeling of species geographic distributions. *Ecological Modelling* 190 (3/4): 231-259.
- PHILLIPS SJ, M DUDÁK, J ELITH, CH GRAHAM, A LEHMANN et al. (2009) Sample selection bias and presence-only distribution models: implications for background and pseudo-absence data. *Ecological Applications* 19 (1): 181-197.
- PHILLIPS SJ & M DUDÍK (2008) Modeling of species distributions with Maxent: new extensions and a comprehensive evaluation. *Ecography* 31: 161-175.
- PINEDA E & JM LOBO (2008) Assessing the accuracy of species distribution models to predict amphibian species richness patterns. *Journal of Animal Ecology* 78: 182-190.
- PULLIAM RH (2000) On the relationship between niche and distribution. *Ecology Letters* 3: 349-361.
- PURVES DW, MA ZAVALA, K OGLE, F PRIETO & JMR BENAYAS (2007) Environmental heterogeneity, bird-mediated directed dispersal and oak woodland dynamics in Mediterranean Spain. *Ecological Monographs* 77 (1): 77-97.
- PUSCHENDORF R., AC CARNAVA, J VANDERWAL, H ZUMBADO-ULATE, G CHAVES et al. (2009) Distribution models for the amphibian chytrid *Batrachochytrium dendrobatidis* in Costa Rica: proposing climatic refuges as a conservation tool. *Diversity and Distributions* 15 (3): 401-408.
- RAES N, MC ROOS, JWF SLIK, EEV LOON & HT STEEGE (2009) Botanical richness and endemism patterns of Borneo derived from species distribution models. *Ecography* 32 (1): 180-192.
- RANDIN CF, T DIRNBOCK, S DULLINGER, NE ZIMMERMANN, M ZAPPA et al. (2006) Are niche-based species distribution models transferable in space? *Journal of Biogeography* 33 (10): 1689-1703.
- RANDIN CF, R ENGLER, S NORMAND, M ZAPPA, NE ZIMMERMANN et al. (2009) Climate change and plant distribution: local models predict high-elevation persistence. *Global Change Biology* 15 (6): 1557-1569.
- RAXWORTHY CJ, E MARTINEZ-MEYER, N HORNING, RA NUSSBAUM, GE SCHNEIDER et al. (2003) Predicting distributions of known and unknown reptile species in Madagascar. *Nature Biotechnology* 21: 837-841.
- REDDY S & LM DÁVALOS (2003) Geographical sampling bias and its implications for conservation priorities in Africa. *Journal of Biogeography* 30: 1719-1727.
- REY BENAYAS F, AC NEWTON, A DIAZ, JM BULLOCKET (2009). Enhancement of Biodiversity and Ecosystem Services by Ecological Restoration: A Meta-Analysis. *Science* 325 (5944): 1121-1124.
- RICHARDS L, BC CARSTENS & LL KNOWLES (2007) Distribution modelling and statistical phylogeography: an integrative framework for generating and testing alternative biogeographical hypotheses. *Journal of Biogeography* 34: 1833-1845.
- RICHARDSON DM & W THULLER (2007) Home away from home - objective mapping of high-risk source areas for plant introductions. *Diversity and Distributions* 13: 299-312.
- RIORDAN EC & PW RUNDEL (2009) Modelling the distribution of a threatened habitat: the California sage scrub. *Journal of Biogeography* 36 (11): 2176-2188.
- RODRÍGUEZ JP, L BROTONS, J BUSTAMANTE & J SEOANE (2007) The application of predictive modelling of species distribution to biodiversity conservation. *Diversity and Distributions* 13: 243-251.
- RUIZ DE LA TORRE J (1990) Memoria General del Mapa Forestal de España 1:200.000, Ministerio de Agricultura, Pesca y Alimentación, ICONA, Madrid.
- RUSHTON SP, SJ ORMEROD & G KERBY (2004) New paradigms for modelling species distributions? *Journal of Applied Ecology* 41: 193-200.
- SAATCHI S, W BUERMANN, HT STEEGE, S MORI & TB SMITH (2008) Modeling distribution of Amazonian tree species and diversity using remote sensing measurements. *Remote Sensing of Environment* 112 (5): 2000-2017.

- SAIZ ELORZA M, ED DANA SÁNCHEZ, E SOBRINO VESPERINAS (2004) Atlas de las Plantas Alóctonas Invasoras en España. Dirección General para la Biodiversidad, 384 pp., Madrid.
- SÁNCHEZ-CORDERO V & E MARTÍNEZ-MEYER (2000) Museum specimen data predict crop damage by tropical rodents. *Proceedings of the National Academy of Science* 97: 7074-7077.
- SATTLER T, F BONTADINA, AH HIRZEL & R ARLETTAZ (2007) Ecological niche modelling of two cryptic bat species calls for a reassessment of their conservation status. *Journal of Applied Ecology* 44: 1188-1199.
- SCHULMAN L, T TOIVONEN & K RUOKOLAINEN (2007) Analysing botanical collecting effort in Amazonia and correcting for it in species range estimation. *Journal of Biogeography* 34: 1388-1399.
- SCHURR FM, GF MIDGLEY, AG REBELO, G REEVES, P POSCHLOD et al. (2007) Colonization and persistence ability explain the extent to which plant species fill their potential range. *Global Ecology and Biogeography* 16: 449-459.
- SEGURADO P & MB ARAUJO (2004) An evaluation of methods for modelling species distributions. *Journal of Biogeography* 31: 1555-1568.
- SEOANE J, J BUSTAMANTE & R DÍAZ-DELGADO (2005a) Effect of expert opinion on the predictive ability of environmental models of bird distribution. *Conservation Biology* 19 (2): 512-522.
- SEOANE J, LM CARRASCAL, CL ALONSO & D PALOMINO (2005b) Species-specific traits associated to prediction errors in bird habitat suitability modelling. *Ecological Modelling* 185 (2-4): 299-308.
- SEOANE J, JH JUSTRIBÓ, F GARCÍA, J RETAMAR, F RABADÁN et al. (2006) Habitat-suitability modelling to assess the effects of land-use changes on Dupont's lark *Chersophilusduponti*: A case study in the Layna Important Bird Area. *Biological Conservation* 128: 241-252.
- SETTELE J, O KUDRNA, A HARPKE, I KÜHN, C VAN SWAAY, R VEROVNIK, M WARREN, M WIEMERS, J HANSPACH, T HICKLER, E KÜHN, I VAN HALDER, K VELING, A VLIEGENTHART, I WYNHOFF, O SCHWEIGER (2008) Climatic risk Atlas of European Butterflies. *BIORISK, Biodiversity and Ecosystem Risk Assessment*, 1: 1-710. Pensoft, Sofia.
- SKOV F & F BORCHSENIUS (1997) Predicting plant species distribution patterns using simple climatic parameters: a case study of Ecuadorian palms. *Ecography* 20: 347-355.
- SOBERÓN J, J LLORENTE & H BENITEZ (1996) An international view of national biological surveys. *Annals of the Missouri Botanical Garden* 83: 562-573.
- SOBERÓN J & AT PETERSON (2005) Interpretation of models of fundamental ecological niches and species' distributional areas. *Biodiversity Informatics* 2: 1-10.
- SORIA-AUZA RW, M KESSLER, K. BACH, PM BARAJAS-BARBOSA, M LEHNERT et al. (2010) Impact of the quality of climate models for modelling species occurrences in countries with poor climatic documentation: a case study from Bolivia. *Ecological Modelling* 221: 1221-1229.
- STOCKWELL D & D PETERS (1999) The GARP modelling system: problems and solutions to automated spatial prediction. *International Journal of Geographical Information Science* 13 (2): 143-158.
- STOCKWELL, DRB & PETERSON AT (2002) Effects of sample size on accuracy of species distribution models. *Ecological Modelling* 148: 1-13.
- SVENNING JC & SNF SKOV (2006) Range filling in European trees. *Journal of Biogeography* 33 (11): 2018-2021.
- SVENNING JC & SNF SKOV (2004) Limited filling of the potential range in European tree species. *Ecology Letters* 7: 565-573.
- TERMANSEN M, CJ MCCLEAN & CD PRESTON (2006) The use of genetic algorithms and Bayesian classification to model species distributions. *Ecological Modelling* 192: 410-424.
- THORN JS, V NIJMAN, D SMITH & KAI NEKARIS (2009) Ecological niche modelling as a technique for assessing threats and setting conservation priorities for Asian slow lorises (*Primates: Nycticebus*). *Diversity and Distributions* 15 (2): 289-298.
- THUILLER W, B LAFOURCADE, R ENGLER & MB ARAUJO (2009) BIOMOD - a platform for ensemble forecasting of species distributions. *Ecography* 32 (3): 369-373.
- TINGLEY R & TB HERMAN (2009) Land-cover data improve bioclimatic models for anurans and turtles at a regional scale. *Journal of Biogeography* 36 (9): 1656-1672.

- TITEUX N, D MAES, M MARMION, M LUOTO & RK HEIKKINEN (2009) Inclusion of soil data improves the performance of bioclimatic envelope models for insect species distributions in temperate Europe. *Journal of Biogeography* 36 (8): 1459-1473.
- TSOAR A, O ALLOUCHE, O STEINITZ, D ROTEM & R KADMON (2007) A comparative evaluation of presence-only methods for modelling species distribution. *Diversity and Distributions* 13: 397-405.
- UICN (2001) *Categorías y Criterios de la Lista Roja de la UICN: Versión 3.1*. Comisión de Supervivencia de Especies de la UICN. UICN, Suiza y Cambridge, Reino Unido. ii + 33 pp.
- VARGAS JH, T CONSIGLIO, PM JØRGENSEN & TB CROAT (2004). Modelling distribution patterns in a species-rich plant genus, *Anthurium* (Araceae), in Ecuador. *Diversity and Distributions* 10: 211-216.
- VAUGHAN IP & SJ ORMEROD (2003) Improving the quality of distribution models for conservation by addressing shortcomings in the field collection of training data. *Conservation Biology* 17: 1601-1611.
- VAZ S, CS MARTIN, PD EASTWOOD, B ERNANDE, A CARPENTIER et al. (2008) Modelling species distributions using regression quantiles. *Journal of Applied Ecology* 45 (1): 204-217.
- VEGAR B, H RUNE & H EINAR (2009) Disentangling complex fine-scale ecological patterns by path modelling using GLMM and GIS. *Journal of Vegetation Science* 20 (5): 779-790.
- VELOZ SD (2009) Spatially autocorrelated sampling falsely inflates measures of accuracy for presence-only niche models. *Journal of Biogeography* 36 (12): 2290-2299.
- VETAAS OR (2002) Realized and potential niches: a comparison of four *Rhododendron* species. *Journal of Biogeography* 29: 545-554.
- WALKER PA & KD COCKS (1991) HABITAT: A procedure for modelling a disjoint environmental envelope for a plant or animal species. *Global Ecology and Biogeography Letters* 1: 108-118.
- WALTARI E & RP GURALNICK (2009) Ecological niche modelling of montane mammals in the Great Basin, North America: examining past and present connectivity of species across basins and ranges. *Journal of Biogeography* 36 (1): 148-161.
- WARD G, T HASTIE, S BARRY, J ELITH & JR LEATHWICK (2008) Presence-Only Data and the EM Algorithm. *Biometrics* 65: 554-563.
- WEAVER KF, T ANDERSON & R GURALNICK (2006) Combining phylogenetic and ecological niche modeling approaches to determine distribution and historical biogeography of Black Hills mountain snails (Oreohellicidae). *Diversity and Distributions* 12 (6): 756-766.
- WILLIAMS JN, C SEO, J THORNE, JK NELSON, S ERWIN et al. (2009) Using species distribution models to predict new occurrences for rare plants. *Diversity and Distributions* 15 (4): 565-576.
- WILLIAMS PH, L HANNAH, S ANDELMAN, GF MIDGELY, MB ARAUJO et al. (2005) Planning for climate change: Identifying minimum dispersal corridors for the Cape Proteaceae. *Conservation Biology* 19: 1063-1074.
- WILSON KA, MI WESTPHAL, HP POSSINGHAM & J ELITH (2005) Sensitivity of conservation planning to different approaches to using predicted species distribution data. *Biological Conservation* 122 (1): 99-112.
- WISER SK, RK PEET & PS WHITE (1998) Prediction of rare-plant occurrence: a Southern Appalachian example. *Ecological Applications* 8: 909-920.
- WISZ M & A GUISAN (2009) Do pseudo-absence selection strategies influence species distribution models and their predictions? An information-theoretic approach based on simulated data. *BMC Ecology* 9 (1): 8.
- WISZ MS, RJ HIJMANS, J LI, AT PETERSON, CH GRAHAM & A GUISAN (2008) Effects of sample size on the performance of species distribution models. *Diversity and Distributions* 14 (5): 763-773.
- WOLLAN AK, V BAKKESTUEN, H KAUSERUD, G GULDEN & R HALVORSEN (2008) Modelling and predicting fungal distribution patterns using herbarium data. *Journal of Biogeography* 35 (12): 2298-2310.
- ZANIEWSKI AE, A LEHMANN & JM OVERTON (2002) Predicting species spatial distributions using presence-only data: a case study of native New Zealand ferns. *Ecological Modelling* 157: 261-280.
- ZANINI F, J PELLETT & BR SCHMID (2009) The transferability of distribution models across regions: an amphibian case study. *Diversity and Distributions* 15 (3): 469-480.

ZIMMERMANN NE, GG MOISEN, TS FRESCINO & JA BLACKARD (2007) Remote sensing-based predictors improve distribution models of rare, early successional and broadleaf tree species in Utah. *Journal of Applied Ecology* 44: 1057-1067.

ZURELL D, F JELTSCH, CF DORMANN & B SCHRÖDER (2009) Static species distribution models in dynamically changing systems: how good can predictions really be? *Ecography* 32 (5): 733-744.